



Patient Name:	
Date of Birth:	MRN/File No:
Physician Name:	Date:

Weiss Symptom Record (WSR)

<i>Instructions to Informant: Check the box that best describes typical behavior</i> <i>Instructions to Physician: Symptoms rated 2 or 3 are positive and total count completed below</i>	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	# items scored 2 or 3 (DSM Criteria)
ADHD COMBINED TYPE 314.01						≥6/9 IA & HI
ATTENTION 314.00						
Fails to give close attention to details, careless mistakes						
Difficulty sustaining attention in tasks or fun activities						
Does not seem to listen when spoken to directly						
Does not follow through on instructions and fails to finish work						
Difficulty organizing tasks and activities						
Avoids tasks that require sustained mental effort (boring)						
Losing things						
Easily distracted						
Forgetful in daily activities						/9 (≥6/9)
HYPERACTIVE/IMPULSIVE 314.01						
Fidgety or squirms in seat						
Leaves seat when sitting is expected						
Feels restless						
Difficulty in doing fun things quietly						
Always on the go or acts as if "driven by a motor"						
Talks excessively						
Blurts answers before questions have been completed						
Difficulty awaiting turn						
Interrupting or intruding on others						/9 (≥6/9)
OPPOSITIONAL DEFIANT DISORDER 313.81						
Loses temper						
Argues with adults						
Actively defies or refuses to comply with requests or rules						
Deliberately annoys people						
Blames others for his or her mistakes or misbehaviour						
Touchy or easily annoyed by others						
Angry or resentful						
Spiteful or vindictive						/8 (≥4/8)

	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	Diagnoses
TIC DISORDERS 307.2						SEVERITY
Repetitive involuntary movements (blinking, twitching)						
Repetitive involuntary noises (throat clearing, sniffing)						
CONDUCT DISORDER 312.8						
Bullies, threatens, or intimidates others						
Initiates physical fights						
Has used a weapon (bat, brick, bottle, knife, gun)						
Physically cruel to people						
Physically cruel to animals						
Stolen while confronting a victim						
Forced someone into sexual activity						
Fire setting with the intent of damage						
Deliberately destroyed others' property						
Broken into a house, building, or car						
Often lies to obtain goods or benefits or avoid obligations						
Stealing items of nontrivial value without confronting victim						
Stays out at night despite prohibitions						
Run away from home overnight at least twice						
Truant from school						/15(≥3/15)
ANXIETY						
Worries about health, loved ones, catastrophe						300.02
Unable to relax; nervous						300.81
Chronic unexplained aches and pains						300.30
Repetitive thoughts that make no sense						
Repetitive rituals						300.01
Sudden panic attacks with intense anxiety						300.23
Excessively shy						
Refusal to do things in front of others						309.21
Refusal to go to school, work or separate from others						300.29
Unreasonable fears that interfere with activities						312.39
Pulls out hair, eyebrows						
Nail biting, picking						
Refusal to talk in public, but talks at home						mutism
DEPRESSION 296.2 (single) .3 (recurrent)						
Has been feeling sad, unhappy or depressed		Yes	No			Must be present
No interest or pleasure in life		Yes	No			Must be present
Feels worthless						
Has decreased energy and less productive						
Hopeless and pessimistic about the future						
Excessive feelings of guilt or self blame						
Self-injurious or suicidal thoughts						

	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	Diagnoses
DEPRESSION (CONT'D)						SEVERITY
Social withdrawal						
Weight loss or weight gain						
Change in sleep patterns						≥5/9>2wks
Agitated or sluggish, slowed down						
Decreased concentration or indecisiveness						
Past suicide attempts	#	Serious				
MANIA 296.0(manic) .6(mixes) .5(depressed)						
Distinct period of consistent elevated or irritable mood	Yes	No	Must be present			
Grandiose, sudden increase in self esteem						
Decreased need for sleep						
Racing thoughts						
Too talkative and speech seems pressured						
Sudden increase in goal directed activity, agitated						≥3 >1wk
High risk activities (spending money, promiscuity)						/3 (≥3)
SOCIAL SKILLS 299						
Makes poor eye contact or unusual body language						
Failure to make peer relationships						
Lack of spontaneous sharing of enjoyment						
Lacks reciprocity or sensitivity to emotional needs of others						
Language delay or lack of language communication						
Difficulty communicating, conversing with others						
Speaks in an odd, idiosyncratic or monotonous speech						
Lack of creative, imaginative play or social imitation						
Intensely fixated on one particular interest						
Rigid sticking to nonfunctional routines or rituals						
Preoccupied with objects and parts of objects						
Repetitive motor mannerisms (hand flapping, spinning)						
PSYCHOSIS 295						
Has disorganized, illogical thoughts						
Hears voices or sees things						
Conviction that others are against or will hurt them						
People can read their thoughts, or vice versa						
Belief that the television is talking specifically to them						
A fixed belief that is out of touch with reality						
Thought sequence does not make sense						

	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	Diagnoses
SUBSTANCE ABUSE						SEVERITY
Excessive alcohol (> 2 drinks/day, > 4 drinks at once)						305
Smokes cigarettes						
Daily marijuana use						
Use of any other street drugs						
Abuse of prescription drugs						
SLEEP DISORDERS 307.4						
Agitated or sluggish, slowed down						
Has difficulty falling asleep						
Has difficulty staying asleep						
Has abnormal sleep patterns during the day						347
Unanticipated falling asleep during the day						307.4
Sleep walking						307.4
Has nightmares						307.45
Falls asleep late and sleeps in late						3.27
Sleep schedule changes from day to day						
Excessive snoring						
A feeling of restless legs while trying to sleep						
Observed to have sudden kicking while asleep						780.57
Observed to have difficulty breathing at night						
ELIMINATION DISORDERS 307						
Wets the bed at night						
Wets during the day						
Soils self						
EATING DISORDERS 307						
Vomits after meals or bingeing						
Underweight and refuses to eat						307.1
Distorted body image						
Picky eater						
High junk food diet						
LEARNING DISABILITIES 315						
Delayed expressive language						
Stuttering						
Problems articulating words						315
Below grade level in reading						315.1
Below grade level in math						315.2
Trouble with writing (messy, tiring, avoids writing)						
Variable performance in school						
Underachieves at school relative to potential						315.4

	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	Diagnoses
DEVELOPMENTAL COORDINATION DISORDER						
Difficulty with gross motor skills (i.e. gym, sports, biking)						
Clumsy						
Difficulty with fine motor (buttons, shoe laces, cutting)						
PERSONALITY 301						SEVERITY
Unstable interpersonal relationships						
Frantic efforts to avoid abandonment						
Recurrent suicidal ideation or attempts						
Intense anger						
Major mood swings						BPD 301.83
Impulsive self destructive or self injurious behavior						
Fragile identity or self image						
Chronic feelings of emptiness						
Transient stress related dissociation or paranoia						/9 (≥5/9)
Self centred or entitled						NPD 301.81
Deceitful, aggressive, or lack of remorse						ASP 301.7
COMMENTS:						

ADHD=attention deficit hyperactivity disorder; IA=inattentive subtype; HI=hyperactive impulsive subtype; BPD=borderline personality disorder; NPD=narcissistic personality disorder; ASP=antisocial personality disorder.

Reprinted with permission from the Diagnostic and Statistical Manual of Mental Health Disorders, Text Revision (Copyright 2000). American Psychiatric Association.

©This scale is copyrighted by Margaret Danielle Weiss, MD PhD, at the University of British Columbia. The scale can be used by clinicians and researchers free of charge and posted on the internet or replicated as needed. The scale cannot be amended. Any translations require permission of the author. Please contact Dr. Weiss at margaret.weiss@icloud.com if you wish to post the scale on the internet, use it in research or plan to create a translation.



Patient Name:	
Date of Birth:	MRN/File No:
Physician Name:	Date:

Weiss Symptom Record (WSR)

<i>Instructions to Informant: Check the box that best describes typical behavior</i> <i>Instructions to Physician: Symptoms rated 2 or 3 are positive and total count completed below</i>	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	# items scored 2 or 3 (DSM Criteria)
ADHD COMBINED TYPE 314.01						≥6/9 IA & HI
ATTENTION 314.00						
Fails to give close attention to details, careless mistakes						
Difficulty sustaining attention in tasks or fun activities						
Does not seem to listen when spoken to directly						
Does not follow through on instructions and fails to finish work						
Difficulty organizing tasks and activities						
Avoids tasks that require sustained mental effort (boring)						
Losing things						
Easily distracted						
Forgetful in daily activities						/9 (≥6/9)
HYPERACTIVE/IMPULSIVE 314.01						
Fidgety or squirms in seat						
Leaves seat when sitting is expected						
Feels restless						
Difficulty in doing fun things quietly						
Always on the go or acts as if "driven by a motor"						
Talks excessively						
Blurts answers before questions have been completed						
Difficulty awaiting turn						
Interrupting or intruding on others						/9 (≥6/9)
OPPOSITIONAL DEFIANT DISORDER 313.81						
Loses temper						
Argues with adults						
Actively defies or refuses to comply with requests or rules						
Deliberately annoys people						
Blames others for his or her mistakes or misbehaviour						
Touchy or easily annoyed by others						
Angry or resentful						
Spiteful or vindictive						/8 (≥4/8)

	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	Diagnoses
TIC DISORDERS 307.2						SEVERITY
Repetitive involuntary movements (blinking, twitching)						
Repetitive involuntary noises (throat clearing, sniffing)						
CONDUCT DISORDER 312.8						
Bullies, threatens, or intimidates others						
Initiates physical fights						
Has used a weapon (bat, brick, bottle, knife, gun)						
Physically cruel to people						
Physically cruel to animals						
Stolen while confronting a victim						
Forced someone into sexual activity						
Fire setting with the intent of damage						
Deliberately destroyed others' property						
Broken into a house, building, or car						
Often lies to obtain goods or benefits or avoid obligations						
Stealing items of nontrivial value without confronting victim						
Stays out at night despite prohibitions						
Run away from home overnight at least twice						
Truant from school						/15(≥3/15)
ANXIETY						
Worries about health, loved ones, catastrophe						300.02
Unable to relax; nervous						300.81
Chronic unexplained aches and pains						300.30
Repetitive thoughts that make no sense						
Repetitive rituals						300.01
Sudden panic attacks with intense anxiety						300.23
Excessively shy						
Refusal to do things in front of others						309.21
Refusal to go to school, work or separate from others						300.29
Unreasonable fears that interfere with activities						312.39
Pulls out hair, eyebrows						
Nail biting, picking						
Refusal to talk in public, but talks at home						mutism
DEPRESSION 296.2 (single) .3 (recurrent)						
Has been feeling sad, unhappy or depressed		Yes	No			Must be present
No interest or pleasure in life		Yes	No			Must be present
Feels worthless						
Has decreased energy and less productive						
Hopeless and pessimistic about the future						
Excessive feelings of guilt or self blame						
Self-injurious or suicidal thoughts						

	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	Diagnoses
DEPRESSION (CONT'D)						SEVERITY
Social withdrawal						
Weight loss or weight gain						
Change in sleep patterns						≥5/9>2wks
Agitated or sluggish, slowed down						
Decreased concentration or indecisiveness						
Past suicide attempts	#	Serious				
MANIA 296.0(manic) .6(mixes) .5(depressed)						
Distinct period of consistent elevated or irritable mood	Yes	No	Must be present			
Grandiose, sudden increase in self esteem						
Decreased need for sleep						
Racing thoughts						
Too talkative and speech seems pressured						
Sudden increase in goal directed activity, agitated						≥3 >1wk
High risk activities (spending money, promiscuity)						/3 (≥3)
SOCIAL SKILLS 299						
Makes poor eye contact or unusual body language						
Failure to make peer relationships						
Lack of spontaneous sharing of enjoyment						
Lacks reciprocity or sensitivity to emotional needs of others						
Language delay or lack of language communication						
Difficulty communicating, conversing with others						
Speaks in an odd, idiosyncratic or monotonous speech						
Lack of creative, imaginative play or social imitation						
Intensely fixated on one particular interest						
Rigid sticking to nonfunctional routines or rituals						
Preoccupied with objects and parts of objects						
Repetitive motor mannerisms (hand flapping, spinning)						
PSYCHOSIS 295						
Has disorganized, illogical thoughts						
Hears voices or sees things						
Conviction that others are against or will hurt them						
People can read their thoughts, or vice versa						
Belief that the television is talking specifically to them						
A fixed belief that is out of touch with reality						
Thought sequence does not make sense						

	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	Diagnoses
SUBSTANCE ABUSE						SEVERITY
Excessive alcohol (> 2 drinks/day, > 4 drinks at once)						305
Smokes cigarettes						
Daily marijuana use						
Use of any other street drugs						
Abuse of prescription drugs						
SLEEP DISORDERS 307.4						
Agitated or sluggish, slowed down						
Has difficulty falling asleep						
Has difficulty staying asleep						
Has abnormal sleep patterns during the day						347
Unanticipated falling asleep during the day						307.4
Sleep walking						307.4
Has nightmares						307.45
Falls asleep late and sleeps in late						3.27
Sleep schedule changes from day to day						
Excessive snoring						
A feeling of restless legs while trying to sleep						
Observed to have sudden kicking while asleep						780.57
Observed to have difficulty breathing at night						
ELIMINATION DISORDERS 307						
Wets the bed at night						
Wets during the day						
Soils self						
EATING DISORDERS 307						
Vomits after meals or bingeing						
Underweight and refuses to eat						307.1
Distorted body image						
Picky eater						
High junk food diet						
LEARNING DISABILITIES 315						
Delayed expressive language						
Stuttering						
Problems articulating words						315
Below grade level in reading						315.1
Below grade level in math						315.2
Trouble with writing (messy, tiring, avoids writing)						
Variable performance in school						
Underachieves at school relative to potential						315.4

	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	Diagnoses
DEVELOPMENTAL COORDINATION DISORDER						
Difficulty with gross motor skills (i.e. gym, sports, biking)						
Clumsy						
Difficulty with fine motor (buttons, shoe laces, cutting)						
PERSONALITY 301						SEVERITY
Unstable interpersonal relationships						
Frantic efforts to avoid abandonment						
Recurrent suicidal ideation or attempts						
Intense anger						
Major mood swings						BPD 301.83
Impulsive self destructive or self injurious behavior						
Fragile identity or self image						
Chronic feelings of emptiness						
Transient stress related dissociation or paranoia						/9 (≥5/9)
Self centred or entitled						NPD 301.81
Deceitful, aggressive, or lack of remorse						ASP 301.7
COMMENTS:						

ADHD=attention deficit hyperactivity disorder; IA=inattentive subtype; HI=hyperactive impulsive subtype; BPD=borderline personality disorder; NPD=narcissistic personality disorder; ASP=antisocial personality disorder.

Reprinted with permission from the Diagnostic and Statistical Manual of Mental Health Disorders, Text Revision (Copyright 2000). American Psychiatric Association.

©This scale is copyrighted by Margaret Danielle Weiss, MD PhD, at the University of British Columbia. The scale can be used by clinicians and researchers free of charge and posted on the internet or replicated as needed. The scale cannot be amended. Any translations require permission of the author. Please contact Dr. Weiss at margaret.weiss@icloud.com if you wish to post the scale on the internet, use it in research or plan to create a translation.



Patient Name:	
Date of Birth:	MRN/File No:
Physician Name:	Date:

WEISS FUNCTIONAL IMPAIRMENT RATING SCALE – SELF REPORT (WFIRS-S)

Work: Full time Part time Other _____ School: Full time Part time

Circle the number for the rating that best describes how your emotional or behavioural problems have affected each item in the last month.

		Never or not at all	Sometimes or somewhat	Often or much	Very often or very much	n/a
A	FAMILY					
1	Having problems with family	0	1	2	3	n/a
2	Having problems with spouse/partner	0	1	2	3	n/a
3	Relying on others to do things for you	0	1	2	3	n/a
4	Causing fighting in the family	0	1	2	3	n/a
5	Makes it hard for the family to have fun together	0	1	2	3	n/a
6	Problems taking care of your family	0	1	2	3	n/a
7	Problems balancing your needs against those of your family	0	1	2	3	n/
8	Problems losing control with family	0	1	2	3	n/a
B	WORK					
1	Problems performing required duties	0	1	2	3	n/a
2	Problems with getting your work done efficiently	0	1	2	3	n/a
3	Problems with your supervisor	0	1	2	3	n/a
4	Problems keeping a job	0	1	2	3	n/a
5	Getting fired from work	0	1	2	3	n/a
6	Problems working in a team	0	1	2	3	n/a
7	Problems with your attendance	0	1	2	3	n/a
8	Problems with being late	0	1	2	3	n/a
9	Problems taking on new tasks	0	1	2	3	n/a
10	Problems working to your potential	0	1	2	3	n/a
11	Poor performance evaluations	0	1	2	3	n/a
C	SCHOOL					
1	Problems taking notes	0	1	2	3	n/a
2	Problems completing assignments	0	1	2	3	n/a
3	Problems getting your work done efficiently	0	1	2	3	n/a
4	Problems with teachers	0	1	2	3	n/a
5	Problems with school administrators	0	1	2	3	n/a
6	Problems meeting minimum requirements to stay in school	0	1	2	3	n/a
7	Problems with attendance	0	1	2	3	n/a
8	Problems with being late	0	1	2	3	n/a
9	Problems with working to your potential	0	1	2	3	n/a
10	Problems with inconsistent grades	0	1	2	3	n/a
D	LIFE SKILLS					
1	Excessive or inappropriate use of internet, video games or TV	0	1	2	3	n/a
2	Problems keeping an acceptable appearance	0	1	2	3	n/a
3	Problems getting ready to leave the house	0	1	2	3	n/a
4	Problems getting to bed	0	1	2	3	n/a
5	Problems with nutrition	0	1	2	3	n/a

		Never or not at all	Sometimes or somewhat	Often or much	Very often or very much	n/a
6	Problems with sex	0	1	2	3	n/a
7	Problems with sleeping	0	1	2	3	n/a
8	Getting hurt or injured	0	1	2	3	n/a
9	Avoiding exercise	0	1	2	3	n/a
10	Problems keeping regular appointments with doctor/dentist	0	1	2	3	n/a
11	Problems keeping up with household chores	0	1	2	3	n/a
12	Problems managing money	0	1	2	3	n/a
E	SELF-CONCEPT					
1	Feeling bad about yourself	0	1	2	3	n/a
2	Feeling frustrated with yourself	0	1	2	3	n/a
3	Feeling discouraged	0	1	2	3	n/a
4	Not feeling happy with your life	0	1	2	3	n/a
5	Feeling incompetent	0	1	2	3	n/a
F	SOCIAL					
1	Getting into arguments	0	1	2	3	n/a
2	Trouble cooperating	0	1	2	3	n/a
3	Trouble getting along with people	0	1	2	3	n/a
4	Problems having fun with other people	0	1	2	3	n/a
5	Problems participating in hobbies	0	1	2	3	n/a
6	Problems making friends	0	1	2	3	n/a
7	Problems keeping friends	0	1	2	3	n/a
8	Saying inappropriate things	0	1	2	3	n/a
9	Complaints from neighbours	0	1	2	3	n/a
G	RISK					
1	Aggressive driving	0	1	2	3	n/a
2	Doing other things while driving	0	1	2	3	n/a
3	Road rage	0	1	2	3	n/a
4	Breaking or damaging things	0	1	2	3	n/a
5	Doing things that are illegal	0	1	2	3	n/a
6	Being involved with the police	0	1	2	3	n/a
7	Smoking cigarettes	0	1	2	3	n/a
8	Smoking marijuana	0	1	2	3	n/a
9	Drinking alcohol	0	1	2	3	n/a
10	Taking "street" drugs	0	1	2	3	n/a
11	Sex without protection (birth control, condom)	0	1	2	3	n/a
12	Sexually inappropriate behaviour	0	1	2	3	n/a
13	Being physically aggressive	0	1	2	3	n/a
14	Being verbally aggressive	0	1	2	3	n/a

SCORING:

1. Number of items scored 2 or 3
or
2. Total score
or
3. Mean score

DO NOT WRITE IN THIS AREA

- A. Family _____
- B. Work _____
- C. School _____
- D. Life skills _____
- E. Self-concept _____
- F. Social _____
- G. Risk _____
- Total** _____

This scale is copyrighted by Margaret Danielle Weiss, MD PhD, at the University of British Columbia. The scale can be used by clinicians and researchers free of charge and can be posted on the internet or replicated as needed. Please contact Dr. Weiss at margaret.weiss@icloud.com if you wish to post the scale on the internet, use it in research or plan to create a translation.



Patient Name:	
Date of Birth:	MRN/File No:
Physician Name:	Date:

WEISS FUNCTIONAL IMPAIRMENT RATING SCALE – SELF REPORT (WFIRS-S)

Work: Full time Part time Other _____ School: Full time Part time

Circle the number for the rating that best describes how your emotional or behavioural problems have affected each item in the last month.

		Never or not at all	Sometimes or somewhat	Often or much	Very often or very much	n/a
A	FAMILY					
1	Having problems with family	0	1	2	3	n/a
2	Having problems with spouse/partner	0	1	2	3	n/a
3	Relying on others to do things for you	0	1	2	3	n/a
4	Causing fighting in the family	0	1	2	3	n/a
5	Makes it hard for the family to have fun together	0	1	2	3	n/a
6	Problems taking care of your family	0	1	2	3	n/a
7	Problems balancing your needs against those of your family	0	1	2	3	n/
8	Problems losing control with family	0	1	2	3	n/a
B	WORK					
1	Problems performing required duties	0	1	2	3	n/a
2	Problems with getting your work done efficiently	0	1	2	3	n/a
3	Problems with your supervisor	0	1	2	3	n/a
4	Problems keeping a job	0	1	2	3	n/a
5	Getting fired from work	0	1	2	3	n/a
6	Problems working in a team	0	1	2	3	n/a
7	Problems with your attendance	0	1	2	3	n/a
8	Problems with being late	0	1	2	3	n/a
9	Problems taking on new tasks	0	1	2	3	n/a
10	Problems working to your potential	0	1	2	3	n/a
11	Poor performance evaluations	0	1	2	3	n/a
C	SCHOOL					
1	Problems taking notes	0	1	2	3	n/a
2	Problems completing assignments	0	1	2	3	n/a
3	Problems getting your work done efficiently	0	1	2	3	n/a
4	Problems with teachers	0	1	2	3	n/a
5	Problems with school administrators	0	1	2	3	n/a
6	Problems meeting minimum requirements to stay in school	0	1	2	3	n/a
7	Problems with attendance	0	1	2	3	n/a
8	Problems with being late	0	1	2	3	n/a
9	Problems with working to your potential	0	1	2	3	n/a
10	Problems with inconsistent grades	0	1	2	3	n/a
D	LIFE SKILLS					
1	Excessive or inappropriate use of internet, video games or TV	0	1	2	3	n/a
2	Problems keeping an acceptable appearance	0	1	2	3	n/a
3	Problems getting ready to leave the house	0	1	2	3	n/a
4	Problems getting to bed	0	1	2	3	n/a
5	Problems with nutrition	0	1	2	3	n/a

		Never or not at all	Sometimes or somewhat	Often or much	Very often or very much	n/a
6	Problems with sex	0	1	2	3	n/a
7	Problems with sleeping	0	1	2	3	n/a
8	Getting hurt or injured	0	1	2	3	n/a
9	Avoiding exercise	0	1	2	3	n/a
10	Problems keeping regular appointments with doctor/dentist	0	1	2	3	n/a
11	Problems keeping up with household chores	0	1	2	3	n/a
12	Problems managing money	0	1	2	3	n/a
E	SELF-CONCEPT					
1	Feeling bad about yourself	0	1	2	3	n/a
2	Feeling frustrated with yourself	0	1	2	3	n/a
3	Feeling discouraged	0	1	2	3	n/a
4	Not feeling happy with your life	0	1	2	3	n/a
5	Feeling incompetent	0	1	2	3	n/a
F	SOCIAL					
1	Getting into arguments	0	1	2	3	n/a
2	Trouble cooperating	0	1	2	3	n/a
3	Trouble getting along with people	0	1	2	3	n/a
4	Problems having fun with other people	0	1	2	3	n/a
5	Problems participating in hobbies	0	1	2	3	n/a
6	Problems making friends	0	1	2	3	n/a
7	Problems keeping friends	0	1	2	3	n/a
8	Saying inappropriate things	0	1	2	3	n/a
9	Complaints from neighbours	0	1	2	3	n/a
G	RISK					
1	Aggressive driving	0	1	2	3	n/a
2	Doing other things while driving	0	1	2	3	n/a
3	Road rage	0	1	2	3	n/a
4	Breaking or damaging things	0	1	2	3	n/a
5	Doing things that are illegal	0	1	2	3	n/a
6	Being involved with the police	0	1	2	3	n/a
7	Smoking cigarettes	0	1	2	3	n/a
8	Smoking marijuana	0	1	2	3	n/a
9	Drinking alcohol	0	1	2	3	n/a
10	Taking "street" drugs	0	1	2	3	n/a
11	Sex without protection (birth control, condom)	0	1	2	3	n/a
12	Sexually inappropriate behaviour	0	1	2	3	n/a
13	Being physically aggressive	0	1	2	3	n/a
14	Being verbally aggressive	0	1	2	3	n/a

SCORING:

1. Number of items scored 2 or 3
or
2. Total score
or
3. Mean score

DO NOT WRITE IN THIS AREA

A. Family _____
 B. Work _____
 C. School _____
 D. Life skills _____
 E. Self-concept _____
 F. Social _____
 G. Risk _____
Total _____

This scale is copyrighted by Margaret Danielle Weiss, MD PhD, at the University of British Columbia. The scale can be used by clinicians and researchers free of charge and can be posted on the internet or replicated as needed. Please contact Dr. Weiss at margaret.weiss@icloud.com if you wish to post the scale on the internet, use it in research or plan to create a translation.



Patient Name:	
Date of Birth:	MRN/File No:
Physician Name:	Date:

ADHD CHECKLIST

Retrospective assessment of childhood symptoms Current symptoms
 Current medication: _____

<i>SYMPTOMS: Check the appropriate box</i>	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	Diagnoses
ATTENTION 314.00 (≥6/9)	SEVERITY				TOTAL
Fails to give close attention to details, careless mistakes					
Difficulty sustaining attention in tasks or fun activities					
Does not seem to listen when spoken to directly					
Does not follow through on instructions and fails to finish work					
Difficulty organizing tasks and activities					
Avoids tasks that require sustained mental effort (boring)					
Losing things					
Easily distracted					_/9
Forgetful in daily activities					≥6/9
HYPERACTIVE/IMPULSIVE 314.01 (≥6/9)					
Fidgety or squirms in seat					
Leaves seat when sitting is expected					
Feels restless					
Difficulty in doing fun things quietly					
Always on the go or acts as if "driven by a motor"					
Talks excessively					
Blurts answers before questions have been completed					
Difficulty awaiting turn					≥6/9
Interrupting or intruding on others					_/9
OPPOSITIONAL DEFIANT DISORDER 313.81 (>4/8)					
Loses temper					
Argues with adults					
Actively defies or refuses to comply with requests or rules					
Deliberately annoys people					
Blames others for his or her mistakes or misbehavior					
Touchy or easily annoyed by others					
Angry or resentful					≥4/8
Spiteful or vindictive					_/8
COMMENTS					



Patient Name:	
Date of Birth:	MRN/File No:
Physician Name:	Date:

ADHD CHECKLIST

Retrospective assessment of childhood symptoms Current symptoms
 Current medication: _____

<i>SYMPTOMS: Check the appropriate box</i>	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	Diagnoses
ATTENTION 314.00 (≥6/9)	SEVERITY				TOTAL
Fails to give close attention to details, careless mistakes					
Difficulty sustaining attention in tasks or fun activities					
Does not seem to listen when spoken to directly					
Does not follow through on instructions and fails to finish work					
Difficulty organizing tasks and activities					
Avoids tasks that require sustained mental effort (boring)					
Losing things					
Easily distracted					_/9
Forgetful in daily activities					≥6/9
HYPERACTIVE/IMPULSIVE 314.01 (≥6/9)					
Fidgety or squirms in seat					
Leaves seat when sitting is expected					
Feels restless					
Difficulty in doing fun things quietly					
Always on the go or acts as if "driven by a motor"					
Talks excessively					
Blurts answers before questions have been completed					
Difficulty awaiting turn					≥6/9
Interrupting or intruding on others					_/9
OPPOSITIONAL DEFIANT DISORDER 313.81 (>4/8)					
Loses temper					
Argues with adults					
Actively defies or refuses to comply with requests or rules					
Deliberately annoys people					
Blames others for his or her mistakes or misbehavior					
Touchy or easily annoyed by others					
Angry or resentful					≥4/8
Spiteful or vindictive					_/8
COMMENTS					



Patient Name:	
Date of Birth:	MRN/File No:
Physician Name:	Date:

ADHD CHECKLIST

Retrospective assessment of childhood symptoms Current symptoms
 Current medication: _____

<i>SYMPTOMS: Check the appropriate box</i>	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	Diagnoses
ATTENTION 314.00 (≥6/9)	SEVERITY				TOTAL
Fails to give close attention to details, careless mistakes					
Difficulty sustaining attention in tasks or fun activities					
Does not seem to listen when spoken to directly					
Does not follow through on instructions and fails to finish work					
Difficulty organizing tasks and activities					
Avoids tasks that require sustained mental effort (boring)					
Losing things					
Easily distracted					_/9
Forgetful in daily activities					≥6/9
HYPERACTIVE/IMPULSIVE 314.01 (≥6/9)					
Fidgety or squirms in seat					
Leaves seat when sitting is expected					
Feels restless					
Difficulty in doing fun things quietly					
Always on the go or acts as if "driven by a motor"					
Talks excessively					
Blurts answers before questions have been completed					
Difficulty awaiting turn					≥6/9
Interrupting or intruding on others					_/9
OPPOSITIONAL DEFIANT DISORDER 313.81 (>4/8)					
Loses temper					
Argues with adults					
Actively defies or refuses to comply with requests or rules					
Deliberately annoys people					
Blames others for his or her mistakes or misbehavior					
Touchy or easily annoyed by others					
Angry or resentful					≥4/8
Spiteful or vindictive					_/8
COMMENTS					



Patient Name:

Date of Birth:

Physician Name:

MRN/File No:

Date:

Retrospective assessment of childhood symptoms

Current symptoms

Current medication: _____

ADHD CHECKLIST

<i>SYMPTOMS: Check the appropriate box</i>	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	Diagnoses
ATTENTION 314.00 (≥6/9)	SEVERITY				TOTAL
Fails to give close attention to details, careless mistakes					
Difficulty sustaining attention in tasks or fun activities					
Does not seem to listen when spoken to directly					
Does not follow through on instructions and fails to finish work					
Difficulty organizing tasks and activities					
Avoids tasks that require sustained mental effort (boring)					
Losing things					
Easily distracted					_/9
Forgetful in daily activities					≥6/9
HYPERACTIVE/IMPULSIVE 314.01 (≥6/9)					
Fidgety or squirms in seat					
Leaves seat when sitting is expected					
Feels restless					
Difficulty in doing fun things quietly					
Always on the go or acts as if "driven by a motor"					
Talks excessively					
Blurts answers before questions have been completed					
Difficulty awaiting turn					≥6/9
Interrupting or intruding on others					_/9
OPPOSITIONAL DEFIANT DISORDER 313.81 (>4/8)					
Loses temper					
Argues with adults					
Actively defies or refuses to comply with requests or rules					
Deliberately annoys people					
Blames others for his or her mistakes or misbehavior					
Touchy or easily annoyed by others					
Angry or resentful					≥4/8
Spiteful or vindictive					_/8
COMMENTS					



Patient Name:

Date of Birth:

Physician Name:

MRN/File No:

Date:

ADULT ADHD SELF-REPORT SCALE (ASRS-V1.1) SYMPTOM CHECKLIST

<i>Please answer the questions below, rating yourself on each of the criteria shown using the scale on the right side of the page. As you answer each question, place an X in the box that best describes how you have felt and conducted yourself over the past 6 months. Please give this completed checklist to your healthcare professional to discuss during your appointment</i>	Never	Rarely	Sometimes	Often	Very often
PART A					
1. How often do you have trouble wrapping up the final details of a project, once the challenging parts have been done?					
2. How often do you have difficulty getting things in order when you have to do a task that requires organization?					
3. How often do you have problems remembering appointments or obligations?					
4. When you have a task that requires a lot of thought, how often do you avoid or delay getting started?					
5. How often do you fidget or squirm with your hands or feet when you have to sit down for a long time?					
6. How often do you feel overly active and compelled to do things, like you were driven by a motor?					
PART B					
7. How often do you make careless mistakes when you have to work on a boring or difficult project?					
8. How often do you have difficulty keeping your attention when you are doing boring or repetitive work?					
9. How often do you have difficulty concentrating on what people say to you, even when they are speaking to you directly?					
10. How often do you misplace or have difficulty finding things at home or at work?					
11. How often are you distracted by activity or noise around you?					
12. How often do you leave your seat in meetings or in other situations in which you are expected to stay seated?					
13. How often do you feel restless or fidgety?					
14. How often do you have difficulty unwinding and relaxing when you have time to yourself?					
15. How often do you find yourself talking too much when you are in social situations?					
16. When you're in a conversation, how often do you find yourself finishing the sentences of the people you are talking to, before they can finish it themselves?					
17. How often do you have difficulty waiting your turn in situations when turn taking is required?					
18. How often do you interrupt others when they are busy?					



Patient Name:

Date of Birth:

Physician Name:

MRN/File No:

Date:

ADULT ADHD SELF-REPORT SCALE (ASRS-V1.1) SYMPTOM CHECKLIST

<i>Please answer the questions below, rating yourself on each of the criteria shown using the scale on the right side of the page. As you answer each question, place an X in the box that best describes how you have felt and conducted yourself over the past 6 months. Please give this completed checklist to your healthcare professional to discuss during your appointment</i>	Never	Rarely	Sometimes	Often	Very often
PART A					
1. How often do you have trouble wrapping up the final details of a project, once the challenging parts have been done?					
2. How often do you have difficulty getting things in order when you have to do a task that requires organization?					
3. How often do you have problems remembering appointments or obligations?					
4. When you have a task that requires a lot of thought, how often do you avoid or delay getting started?					
5. How often do you fidget or squirm with your hands or feet when you have to sit down for a long time?					
6. How often do you feel overly active and compelled to do things, like you were driven by a motor?					
PART B					
7. How often do you make careless mistakes when you have to work on a boring or difficult project?					
8. How often do you have difficulty keeping your attention when you are doing boring or repetitive work?					
9. How often do you have difficulty concentrating on what people say to you, even when they are speaking to you directly?					
10. How often do you misplace or have difficulty finding things at home or at work?					
11. How often are you distracted by activity or noise around you?					
12. How often do you leave your seat in meetings or in other situations in which you are expected to stay seated?					
13. How often do you feel restless or fidgety?					
14. How often do you have difficulty unwinding and relaxing when you have time to yourself?					
15. How often do you find yourself talking too much when you are in social situations?					
16. When you're in a conversation, how often do you find yourself finishing the sentences of the people you are talking to, before they can finish it themselves?					
17. How often do you have difficulty waiting your turn in situations when turn taking is required?					
18. How often do you interrupt others when they are busy?					



Patient Name: _____

Date of Birth: _____

Physician Name: _____

MRN/File No: _____

Date: _____

CADDRA PATIENT ADHD MEDICATION FORM

Please complete and bring to your next appointment

Patient name: _____ Date form is completed: _____

Person completing this form (if not the patient): _____ Mother Father Other


Medication usage since (decided with doctor): _____ (date)

- Medication not started yet
- Takes medication regularly, as prescribed
- Forgets/skips doses occasionally
- Takes medication irregularly
- Medication stopped

Current Medication List:

Instructions to use the quadrant below:

- Place a mark on the horizontal black line indicating the level of current symptom control between -3 and +3.
- Place a mark on the vertical black line indicating current side effect levels, between -3 to +3
- Draw an X where lines from the marks made on each line would meet to show current patient status



COMMENTS:

What changes have occurred since medication started?

- | | | |
|--|---|---|
| <input type="checkbox"/> Not applicable: no medication taken | <input type="checkbox"/> No change | <input type="checkbox"/> Marked Improvement |
| <input type="checkbox"/> Small deterioration | <input type="checkbox"/> Improvement | <input type="checkbox"/> Deterioration |
| <input type="checkbox"/> Small improvement | <input type="checkbox"/> Marked deterioration | |

Please indicate below the frequency of any side effects experienced since the last medical appointment (mark with an X). Please contact your physician if side effects are significant.

SIDE EFFECT	FREQUENCY				Comments
	Not at all	Sometimes	Often	All the time	
Headache					
Dryness of the skin					
Dryness of the eyes					
Dryness of the mouth					
Thirst					
Sore throat					
Dizziness					
Nausea					
Stomach aches					
Vomiting					
Sweating					
Appetite reduction					
Weight loss					
Weight gain					
Diarrhea					
Frequent urination					
Tics					
Sleep difficulties					
Mood instability					
Irritability					
Agitation/excitability					
Sadness					
Heart palpitations					
Increased blood pressure					
Sexual dysfunction					
Feeling worse or different when the medication wears off (rebound)					
Other:					

Things to discuss at the next medical appointment:
